


Bibliography



Cardiovascular
Research

Top Cardiovascular Research Papers

Table of Contents

1.	Review Papers	1
2.	Abdominal Aortic Aneurysm	1
3.	Atherosclerosis	2-3
4.	Atrial Function	3
5.	Cardiac Hypertrophy	3-4
6.	Cardiac Injection	4
7.	Cardiomyopathy	4-5
8.	Chick Embryo	5
9.	Conscious Imaging	5
10.	Contrast	6
11.	Developmental Cardiology	6
12.	Diastolic Dysfunction	7
13.	Endothelial Dysfunction	7
14.	Effects of drugs	7
15.	Graft Transplantation	8
16.	Hypertrophy	8
17.	Myocardial Infarction	9-10
18.	Neonatal cardiovascular function	10
19.	Pulmonary Hypertension	10-11

20.	Rabbit Cardiovascular	11
21.	Rat Cardiovascular	11
22.	Right Ventricle	11-12
23.	Stem Cells	12
24.	Strain	12
25.	Stress Echocardiography	13
26.	Systolic Function	13
27.	Valvular Flow & Function	13
28.	Vascular	14-15
29.	Vascular Injection	15

Bibliography – Cardiovascular Research

Review Papers

- [New Approaches in Small Animal Echocardiography: Imaging the Sounds of Silence.](#)
Ram R, Mickelsen DM, Theodoropoulos C, Blaxall BC.
Am J Physiol Heart Circ Physiol. 2011 Aug 26. [Epub ahead of print]

Abdominal Aortic Aneurysm

- [Transcriptional profiling and network analysis of the murine angiotensin II-induced abdominal aortic aneurysm.](#)
Spin JM, Hsu M, Azuma J, Tedesco MM, Deng A, Dyer JS, Maegdefessel L, Dalman RL, Tsao PS.
Physiol Genomics. 2011 Sep 8;43(17):993-1003
- [Placental growth factor regulates cardiac inflammation through the tissue inhibitor of metalloproteinases-3/tumor necrosis factor- \$\alpha\$ -converting enzyme axis: crucial role for adaptive cardiac remodeling during cardiac pressure overload.](#)
Carnevale D, Cifelli G, Mascio G, Madonna M, Sbroggiò M, Perrino C, Persico MG, Frati G, Lembo G.
Circulation. 2011 Sep 20;124(12):1337-50.
- [Telomerase deficiency in bone marrow-derived cells attenuates angiotensin II-induced abdominal aortic aneurysm formation.](#)
Findeisen HM, Gizard F, Zhao Y, Cohn D, Heywood EB, Jones KL, Lovett DH, Howatt DA, Daugherty A, Bruemmer D.
Arterioscler Thromb Vasc Biol. 2011 Feb;31(2):253-60
- [Quantitative estimates of the variability of in vivo sonographic measurements of the mouse aorta for studies of abdominal aortic aneurysms and related arterial diseases.](#)
Sampson UK, Perati PR, Prins PA, Pham W, Liu Z, Harrell FE Jr, Linton MF, *et al*.
J Ultrasound Med 2011 Jun;30(6):773-84
- [Telomerase deficiency in bone marrow-derived cells attenuates angiotensin II-induced abdominal aortic aneurysm formation.](#)
Findeisen HM, Gizard F, Zhao Y, Cohn D, Heywood EB, Jones KL, Lovett DH, *et al*.
Arterioscler Thromb Vasc Biol 2011 Feb;31(2):253-60.
- [Influences of aortic motion and curvature on vessel expansion in murine experimental aneurysms.](#)
Goergen CJ, Azuma J, Barr KN, Magdefessel L, Kallop DY, Gogineni A, Grewall A, *et al*.
Arterioscler Thromb Vasc Biol 2011 Feb;31(2):270-9.
- [Low-level laser irradiation inhibits abdominal aortic aneurysm progression in apolipoprotein E-deficient mice.](#)
Gavish L, Rubinstein C, Bulut A, Berlatzky Y, Beeri R, Gilon D, *et al*.
Cardiovasc Res 2009 Sep 1;83(4):785-92.
- [Apelin prevents aortic aneurysm formation by inhibiting macrophage inflammation.](#)
Leeper NJ, Tedesco MM, Kojima Y, Schultz GM, Kundu RK, Ashley EA, *et al*.
Am J Physiol Heart Circ Physiol 2009 May;296(5):H1329-35.

Bibliography – Cardiovascular Research

Atherosclerosis

- [Silence of TRIB3 suppresses atherosclerosis and stabilizes plaques in diabetic ApoE-/-/LDL receptor-/- mice.](#)
Wang ZH, Shang YY, Zhang S, Zhong M, Wang XP, Deng JT, Pan J, Zhang Y, Zhang W. *Diabetes*. 2012 Feb;61(2):463-73.
- [Gene inactivation of proprotein convertase subtilisin/kexin type 9 reduces atherosclerosis in mice.](#)
Denis M, Marcinkiewicz J, Zaid A, Gauthier D, Poirier S, Lazure C, Seidah NG, Prat A. *Circulation*. 2012 Feb 21;125(7):894-901.
- [Micro-ultrasonographic imaging of atherosclerotic progression and correlation with inflammatory markers in apolipoprotein-E knockout mice.](#)
Li RJ, Yang Y, Wang YH, Xie JJ, Song L, Wang Z, Zhang YZ, Qin YW, Li ZA, Zhang XS. *Tex Heart Inst J*. 2011;38(4):364-70.
- [A critical function of Th17 proinflammatory cells in the development of atherosclerotic plaque in mice.](#)
Gao Q, Jiang Y, Ma T, Zhu F, Gao F, Zhang P, Guo C, Wang Q, *et al*. *J Immunol* 2010 Nov 15;185(10):5820-7.
- [Aortic regurgitation dramatically alters the distribution of atherosclerotic lesions and enhances atherogenesis in mice.](#)
Zhou YQ, Zhu SN, Foster FS, Cybulsky MI, Henkelman RM. *Arterioscler Thromb Vasc Biol* 2010 Jun;30(6):1181-8.
- [Effects of fasudil on early atherosclerotic plaque formation and established lesion progression in apolipoprotein E-knockout mice.](#)
Wu DJ, Xu JZ, Wu YJ, Jean-Charles L, Xiao B, Gao PJ, *et al*. *Atherosclerosis* 2009 Nov;207(1):68-73.
- [Partial carotid ligation is a model of acutely induced disturbed flow, leading to rapid endothelial dysfunction and atherosclerosis.](#)
Nam D, Ni CW, Rezvan A, Suo J, Budzyn K, Llanos A, *et al*. *Am J Physiol Heart Circ Physiol* 2009 Oct;297(4):H1535-43.
- [A novel 3-dimensional micro-ultrasound approach to automated measurement of carotid arterial plaque volume as a biomarker for experimental atherosclerosis.](#)
Walker M 3rd, Campbell BR, Azer K, Tong C, Fang K, Cook JJ, *et al*. *Atherosclerosis* 2009 May;204(1):55-65.
- [Atherosclerotic plaque disruption induced by stress and lipopolysaccharide in apolipoprotein E knockout mice.](#)
Ni M, Wang Y, Zhang M, Zhang PF, Ding SF, Liu CX, *et al*. *Am J Physiol Heart Circ Physiol* 2009 May;296(5):H1598-606.
- [Micro-ultrasound imaging assessment of carotid plaque characteristics in apolipoprotein-E knockout mice.](#)
Ni M, Zhang M, Ding SF, Chen WQ, Zhang Y. *Atherosclerosis* 2008 Mar;197(1):64-71.

Bibliography – Cardiovascular Research

- [Non-invasive real-time imaging of atherosclerosis in mice using ultrasound biomicroscopy.](#)
Gan LM, Grönros J, Hägg U, Wikström J, Theodoropoulos C, Friberg P, *et al.*
Atherosclerosis 2007 Feb;190(2):313-20.

Atrial Function

- [Knock-in gain-of-function sodium channel mutation prolongs atrial action potentials and alters atrial vulnerability.](#)
Blana A, Kaese S, Fortmüller L, Laakmann S, Damke D, van Bragt K, *et al.*
Heart Rhythm. 2010 Dec;7(12):1862-9.

Cardiac Hypertrophy

- [Chronic creatine kinase deficiency eventually leads to congestive heart failure, but severity is dependent on genetic background, gender and age.](#)
Lygate CA, Medway DJ, Ostrowski PJ, Aksentijevic D, Sebag-Montefiore L, Hunyor I, Zervou S, Schneider JE, Neubauer S.
Basic Res Cardiol. 2012 Sep;107(5):276.
- [Ryanodine receptor type 2 is required for the development of pressure overload-induced cardiac hypertrophy.](#)
Zou Y, Liang Y, Gong H, Zhou N, Ma H, Guan A, Sun A, Wang P, Niu Y, Jiang H, Takano H, Toko H, Yao A, Takeshima H, Akazawa H, Shiojima I, Wang Y, Komuro I, Ge J.
Hypertension. 2011 Dec;58(6):1099-110
- [Hyperphosphorylation of mouse cardiac titin contributes to transverse aortic constriction-induced diastolic dysfunction.](#)
Hudson B, Hidalgo C, Saripalli C, Granzier H.
Circ Res. 2011 Sep 30;109(8):858-66
- [Cardiac raptor ablation impairs adaptive hypertrophy, alters metabolic gene expression, and causes heart failure in mice.](#)
Shende P, Plaisance I, Morandi C, Pellieux C, Berthonneche C, Zorzato F, *et al.*
Circulation 2011 Mar 15;123(10):1073-82
- [Accelerated development of pressure overload-induced cardiac hypertrophy and dysfunction in an RyR2-R176Q knockin mouse model.](#)
van Oort RJ, Respress JL, Li N, Reynolds C, De Almeida AC, Skapura DG, De Windt LJ, Wehrens XH.
Hypertension. 2010 Apr;55(4):932-8
- [Accelerated development of pressure overload-induced cardiac hypertrophy and dysfunction in an RyR2-R176Q knockin mouse model.](#)
van Oort RJ, Respress JL, Li N, Reynolds C, De Almeida AC, Skapura DG, *et al.*
Hypertension 2010 Apr;55(4):932-8.
- [NF-kappaB activation is required for adaptive cardiac hypertrophy.](#)
Zelarayan L, Renger A, Noack C, Zafiriou MP, Gehrke C, van der Nagel R, *et al.*
Cardiovasc Res 2009 Dec 1;84(3):416-24.

Bibliography – Cardiovascular Research

- [Cardiomyocyte-specific loss of neurofibromin promotes cardiac hypertrophy and dysfunction.](#)
Xu J, Ismat FA, Wang T, Lu MM, Antonucci N, Epstein JA.
Circ Res 2009 Jul 31;105(3):304-11.
- [Alpha B-crystallin suppresses pressure overload cardiac hypertrophy.](#)
Kumarapeli AR, Su H, Huang W, Tang M, Zheng H, Horak KM, *et al.*
Circ Res 2008 Dec 5;103(12):1473-82.

Cardiac Injection

- [Image-guided cardiac cell delivery using high-resolution small-animal ultrasound.](#)
Rodriguez-Porcel M, Gheysens O, Chen IY, Wu JC, Gambhir SS.
Mol Ther 2005 Dec;12(6):1142-7.
- [Closed-chest cell injections into mouse myocardium guided by high-resolution echocardiography.](#)
Springer ML, Sievers RE, Viswanathan MN, Yee MS, Foster E, Grossman W, *et al.*
Am J Physiol Heart Circ Physiol 2005 Sep;289(3):H1307-14.

Cardiomyopathy

- [Mutation of the calmodulin binding motif IQ of the L-type Ca\(v\)1.2 Ca²⁺ channel to EQ induces dilated cardiomyopathy and death.](#)
Blaich A, Pahlavan S, Tian Q, Oberhofer M, Poomvanicha M, Lenhardt P, Domes K, Wegener JW, Moosmang S, Ruppenthal S, Scholz A, Lipp P, Hofmann F.
J Biol Chem. 2012 Jun 29;287(27):22616-25.
- [Treatment with selumetinib preserves cardiac function and improves survival in cardiomyopathy caused by mutation in the lamin A/C gene.](#)
Muchir A, Reilly SA, Wu W, Iwata S, Homma S, Bonne G, Worman HJ.
Cardiovasc Res. 2012 Feb 1;93(2):311-9.
- [Loss of hypoxia-inducible factor prolyl hydroxylase activity in cardiomyocytes phenocopies ischemic cardiomyopathy.](#)
Moslehi J, Minamishima YA, Shi J, Neuberg D, Charytan DM, Padera RF, *et al.*
Circulation 2010 Sep 7;122(10):1004-16
- [Involvement of reductive stress in the cardiomyopathy in transgenic mice with cardiac-specific overexpression of heat shock protein 27.](#)
Zhang X, Min X, Li C, Benjamin IJ, Qian B, Zhang X, Ding Z, Gao X, Yao Y, *et al.*
Hypertension 2010 Jun;55(6):1412-7.
- [Oxidative stress regulates left ventricular PDE5 expression in the failing heart.](#)
Lu Z, Xu X, Hu X, Lee S, Traverse JH, Zhu G, *et al.*
Circulation 2010 Apr 6;121(13):1474-83.

Bibliography – Cardiovascular Research

- [Myeloid differentiation factor-88/interleukin-1 signaling controls cardiac fibrosis and heart failure progression in inflammatory dilated cardiomyopathy.](#)
Blyszczuk P, Kania G, Dieterle T, Marty RR, Valaperti A, Berthonneche C, *et al.*
Circ Res 2009 Oct 23;105(9):912-20.

Chick Embryo

- [Doppler flow velocity waveforms in the embryonic chicken heart at developmental stages corresponding to 5-8 weeks of human gestation.](#)
Oosterbaan AM, Ursem NT, Struijk PC, Bosch JG, van der Steen AF, Steegers EA.
Ultrasound Obstet Gynecol 2009 Jun;33(6):638-44.
- [Hypoxia induces dilated cardiomyopathy in the chick embryo: mechanism, intervention, and long-term consequences.](#)
Tintu A, Rouwet E, Verlohren S, Brinkmann J, Ahmad S, Crispi F, *et al.*
PLoS One 2009;4(4):e5155.
- [Hypoxia induces dilated cardiomyopathy in the chick embryo: mechanism, intervention, and long-term consequences.](#)
Tintu A, Rouwet E, Verlohren S, Brinkmann J, Ahmad S, Crispi F, *et al.*
PLoS One 2009;4(4):e5155.

Conscious Imaging

- [Agonist-independent constitutive activity of angiotensin II receptor promotes cardiac remodeling in mice.](#)
Yasuda N, Akazawa H, Ito K, Shimizu I, Kudo-Sakamoto Y, Yabumoto C, Yano M, Yamamoto R, Ozasa Y, Minamino T, Naito AT, Oka T, Shiojima I, Tamura K, Umemura S, Paradis P, Nemer M, Komuro I.
Hypertension. 2012 Mar;59(3):627-33.
- [Cardiac-specific deletion of the microtubule-binding protein CENP-F causes dilated cardiomyopathy.](#)
Dees E, Miller PM, Moynihan KL, Pooley RD, Hunt RP, Galindo CL, Rottman JN, Bader DM.
Dis Model Mech. 2012 Jul;5(4):468-80.
- [Novel single-chain antibody-targeted microbubbles for molecular ultrasound imaging of thrombosis: validation of a unique noninvasive method for rapid and sensitive detection of thrombi and monitoring of success or failure of thrombolysis in mice.](#)
Wang X, Hagemeyer CE, Hohmann JD, Leitner E, Armstrong PC, Jia F, Olschewski M, Needles A, Peter K, Ahrens I.
Circulation. 2012 Jun 26;125(25):3117-26.
- [Sustained hemodynamic stress disrupts normal circadian rhythms in calcineurin-dependent signaling and protein phosphorylation in the heart.](#)
Sachan N, Dey A, Rotter D, Grinsfelder DB, Battiprolu PK, Sikder D, Copeland V, *et al.*
Circ Res 2011 Feb 18;108(4):437-45.

Bibliography – Cardiovascular Research

Contrast

- [Molecular Imaging of Vasa Vasorum Neovascularization via DEspR-targeted Contrast-enhanced Ultrasound Micro-imaging in Transgenic Atherosclerosis Rat Model.](#)
Decano JL, Moran AM, Ruiz-Opazo N, Herrera VL.
Mol Imaging Biol 2010 Oct 23.

Developmental Cardiology

- [Overexpression of the SK3 channel alters vascular remodeling during pregnancy, leading to fetal demise.](#)
Rada CC, Pierce SL, Nuno DW, Zimmerman K, Lamping KG, Bowdler NC, Weiss RM, England SK.
Am J Physiol Endocrinol Metab. 2012 Oct 1;303(7):E825-31
- [Tafazzin knockdown in mice leads to a developmental cardiomyopathy with early diastolic dysfunction preceding myocardial noncompaction.](#)
Phoon CK, Acehan D, Schlame M, Stokes DL, Edelman-Novemsky I, Yu D, Xu Y, Viswanathan N, Ren M.
J Am Heart Assoc. 2012 Apr;1(2).
- [Ablation of Nkx2-5 at mid-embryonic stage results in premature lethality and cardiac malformation.](#)
Terada R, Warren S, Lu JT, Chien KR, Wessels A, Kasahara H.
Cardiovasc Res 2011 Jul 15;91(2):289-99
- [Reduced vessel elasticity alters cardiovascular structure and function in newborn mice.](#)
Wagenseil JE, Ciliberto CH, Knutsen RH, Levy MA, Kovacs A, Mecham RP.
Circ Res 2009 May 22;104(10):1217-24.
- [Initial experience with high frequency ultrasound for the newborn C57BL mouse.](#)
Bose AK, Mathewson JW, Anderson BE, Andrews AM, Martin Gerdes A, Benjamin Perryman M, *et al.*
Echocardiography 2007 Apr;24(4):412-9.
- [Embryonic and neonatal phenotyping of genetically engineered mice.](#)
Kulandavelu S, Qu D, Sunn N, Mu J, Rennie MY, Whiteley KJ, *et al.*
ILAR J 2006;47(2):103-17.
- [Developmental changes in left and right ventricular diastolic filling patterns in mice.](#)
Zhou YQ, Foster FS, Parkes R, Adamson SL.
Am J Physiol Heart Circ Physiol 2003 Oct;285(4):H1563-75.

Bibliography – Cardiovascular Research

Diastolic Dysfunction

- [Ranolazine improves cardiac diastolic dysfunction through modulation of myofilament calcium sensitivity.](#)
Lovelock JD, Monasky MM, Jeong EM, Lardin HA, Liu H, Patel BG, Taglieri DM, Gu L, Kumar P, Pokhrel N, Zeng D, Belardinelli L, Sorescu D, Solaro RJ, Dudley SC Jr.
Circ Res. 2012 Mar 16;110(6):841-50.
- [Sildenafil reverses cardiac dysfunction in the mdx mouse model of Duchenne muscular dystrophy.](#)
Adamo CM, Dai DF, Percival JM, Minami E, Willis MS, Patrucco E, Froehner SC, Beavo JA.
Proc Natl Acad Sci U S A. 2010 Nov 2;107(44):19079-83.
- [High-intensity exercise training in mice with cardiomyocyte-specific disruption of Serca2.](#)
Ericsson M, Andersson KB, Amundsen BH, Torp SH, Sjaastad I, *et al.*
J Appl Physiol. 2010 May;108(5):1311-20.
- [Heterogeneous ventricular sympathetic innervation, altered beta-adrenergic receptor expression, and rhythm instability in mice lacking the p75 neurotrophin receptor.](#)
Lorentz CU, Alston EN, Belcik T, Lindner JR, Giraud GD, Habecker BA.
Am J Physiol Heart Circ Physiol. 2010 Jun;298(6):H1652-60.
- [Developmental changes in left and right ventricular diastolic filling patterns in mice.](#)
Zhou YQ, Foster FS, Parkes R, Adamson SL.
Am J Physiol Heart Circ Physiol 2003 Oct;285(4):H1563-75.

Endothelial Dysfunction

- [Torcetrapib produces endothelial dysfunction independent of cholesteryl ester transfer protein inhibition.](#)
Connelly MA, Parry TJ, Giardino EC, Huang Z, Cheung WM, Chen C, Cools F, *et al.*
J Cardiovasc Pharmacol. 2010 May;55(5):459-68.

Effects of drugs

- [Carvedilol enhances mesenchymal stem cell therapy for myocardial infarction via inhibition of caspase-3 expression.](#)
Hassan F, Meduru S, Taguchi K, Kuppusamy ML, Mostafa M, Kuppusamy P, Khan M.
J Pharmacol Exp Ther. 2012 Oct;343(1):62-71.
- [Amelioration of doxorubicin-induced cardiotoxicity by an anticancer-antioxidant dual-function compound, HO-3867.](#)
Dayton A, Selvendiran K, Meduru S, Khan M, Kuppusamy ML, Naidu S, Kálai T, Hideg K, Kuppusamy P.
J Pharmacol Exp Ther. 2011 Nov;339(2):350-7

Bibliography – Cardiovascular Research

Graft Transplantation

- [Mesenchymal stem cells as an appropriate feeder layer for prolonged in vitro culture of human induced pluripotent stem cells.](#)
Havasi P, Nabioni M, Soleimani M, Bakhshandeh B, Parivar K.
Mol Biol Rep. 2013 Jan 3. [Epub ahead of print]
- [Reperfusion injury intensifies the adaptive human T cell alloresponse in a human-mouse chimeric artery model.](#)
Yi T, Fogal B, Hao Z, Tobiasova Z, Wang C, Rao DA, Al-Lamki RS, Kirkiles-Smith NC, Kulkarni S, Bradley JR, Bothwell AL, Sessa WC, Tellides G, Pober JS.
Arterioscler Thromb Vasc Biol. 2012 Feb;32(2):353-60.
- [Anti-interleukin-12/23p40 antibody attenuates chronic rejection of cardiac allografts partly via inhibition \$\gamma\delta\$ T cells.](#)
Wang S, Xu X, Xie A, Li J, Ye P, Liu Z, Wu J, Rui L, Xia J.
Clin Exp Immunol. 2012 Sep;169(3):320-9.
- [Tissue-intrinsic dysfunction of circadian clock confers transplant arteriosclerosis.](#)
Cheng B, Anea CB, Yao L, Chen F, Patel V, Merloiu A, Pati P, Caldwell RW, Fulton DJ, Rudic RD.
Proc Natl Acad Sci U S A. 2011 Oct 11;108(41):17147-52
- [Eph-B4 prevents venous adaptive remodeling in the adult arterial environment.](#)
Muto A, Yi T, Harrison KD, Dávalos A, Fancher TT, Ziegler KR, Feigel A, Kondo Y, *et al.*
J Exp Med. 2011 Mar 14;208(3):561-75.
- [Non- invasive in vivo analysis of a murine aortic graft using high resolution ultrasound microimaging.](#)
Rowinska Z, Zander S, Zerneck A, Jacobs M, Langer S, Weber C, Merx MW, Koeppel TA.
Eur J Radiol. 2011
- [Morphological and functional evaluation of murine heterotopic cardiac grafts using ultrasound biomicroscopy.](#)
Zhou YQ, Bishay R, Feintuch A, Tao K, Golding F, Zhu W, *et al.*
Ultrasound Med Biol 2007 Jun;33(6):870-9.
- [Comprehensive transthoracic cardiac imaging in mice using ultrasound biomicroscopy with anatomical confirmation by magnetic resonance imaging.](#)
Zhou YQ, Foster FS, Nieman BJ, Davidson L, Chen XJ, Henkelman RM.
Physiol Genomics 2004 Jul 8;18(2):232-44.

Hypertrophy

- [Cardiac hypertrophy is positively regulated by MicroRNA miR-23a.](#)
Wang K, Lin ZQ, Long B, Li JH, Zhou J, Li PF.
J Biol Chem. 2012 Jan 2;287(1):589-99
- [Mitigation of the progression of heart failure with sildenafil involves inhibition of RhoA/Rho-kinase pathway.](#)
Chau VQ, Salloum FN, Hoke NN, Abbate A, Kukreja RC.
Am J Physiol Heart Circ Physiol 2011 Jun;300(6):H2272-9.

Bibliography – Cardiovascular Research

Myocardial Infarction

- [Absence of type VI collagen paradoxically improves cardiac function, structure, and remodeling after myocardial infarction.](#)
Luther DJ, Thodeti CK, Shamhart PE, Adapala RK, Hodnichak C, Weihrauch D, Bonaldo P, Chilian WM, Meszaros JG.
Circ Res. 2012 Mar 16;110(6):851-6.
- [Enhanced angiogenic and cardiomyocyte differentiation capacity of epigenetically reprogrammed mouse and human endothelial progenitor cells augments their efficacy for ischemic myocardial repair.](#)
Thal MA, Krishnamurthy P, Mackie AR, Hoxha E, Lambers E, Verma S, Ramirez V, Qin G, Losordo DW, Kishore R.
Circ Res. 2012 Jul 6;111(2):180-90.
- [Oxygen cycling in conjunction with stem cell transplantation induces NOS3 expression leading to attenuation of fibrosis and improved cardiac function.](#)
Khan M, Meduru S, Gogna R, Madan E, Citro L, Kuppusamy ML, Sayyid M, Mostafa M, Hamlin RL, Kuppusamy P.
Cardiovasc Res. 2012 Jan 1;93(1):89-99.
- [Caveolin-1 deficiency exacerbates cardiac dysfunction and reduces survival in mice with myocardial infarction.](#)
Jasmin JF, Rengo G, Lymperopoulos A, Gupta R, Eaton GJ, Quann K, Gonzales DM, Mercier I, Koch WJ, Lisanti MP.
Am J Physiol Heart Circ Physiol. 2011 Apr;300(4):H1274-81
- [Notch1 in bone marrow-derived cells mediates cardiac repair after myocardial infarction.](#)
Li Y, Hiroi Y, Ngoy S, Okamoto R, Noma K, Wang CY, Wang HW, Zhou Q, Radtke F, Liao R, Liao JK.
Circulation. 2011 Mar 1;123(8):866-76.
- [The inflammasome promotes adverse cardiac remodeling following acute myocardial infarction in the mouse.](#)
Mezzaroma E, Toldo S, Farkas D, Seropian IM, Van Tassell BW, Salloum FN, Kannan HR, Menna AC, Voelkel NF, Abbate A.
Proc Natl Acad Sci U S A. 2011 Dec 6;108(49):19725-30
- [Donor myocardial infarction impairs the therapeutic potential of bone marrow cells by an interleukin-1-mediated inflammatory response.](#)
Wang X, Takagawa J, Lam VC, Haddad DJ, Tobler DL, Mok PY, Zhang Y, Clifford BT, Pinnamaneni K, Saini SA, Su R, Bartel MJ, Sievers RE, Carbone L, Kogan S, Yeghiazarians Y, Hermiston M, Springer ML.
Sci Transl Med. 2011 Sep 14;3(100):100ra90\
- [CC chemokine receptor 5 deletion impairs macrophage activation and induces adverse remodeling following myocardial infarction.](#)
Zamilpa R, Kanakia R, Cigarroa J 4th, Dai Q, Escobar GP, Martinez H, Jimenez F, Ahuja SS, Lindsey ML.
Am J Physiol Heart Circ Physiol. 2011 Apr;300(4):H1418-26
- [Direct regulation of membrane type 1 matrix metalloproteinase following myocardial infarction causes changes in survival, cardiac function, and remodeling.](#)
Zavadzka JA, Mukherjee R, Rivers WT, Patel RK, Meyer EC, Black LE, McKinney RA, Oelsen JM, Stroud RE, Spinale FG.
Am J Physiol Heart Circ Physiol. 2011 Oct;301(4):H1656-66

Bibliography – Cardiovascular Research

- [Guided cardiopoiesis enhances therapeutic benefit of bone marrow human mesenchymal stem cells in chronic myocardial infarction.](#)
Behfar A, Yamada S, Crespo-Diaz R, Nesbitt JJ, Rowe LA, Perez-Terzic C, Gaussin V, Homsy C, Bartunek J, Terzic A.
J Am Coll Cardiol. 2010 Aug 24;56(9):721-34.

Neonatal Cardiovascular Function

- [High-frequency ultrasound assessment of the murine heart from embryo through to juvenile.](#)
Corrigan N, Brazil DP, Auliffe FM.
Reprod Sci. 2010 Feb;17(2):147-57.
- [Ventricular rotation is independent of cardiac looping: a study in mice with situs inversus totalis using speckle-tracking echocardiography.](#)
Frank LH, Yu Q, Francis R, Tian X, Samtani R, Sahn DJ, Leatherbury L, Lo CW.
J Am Soc Echocardiogr. 2010 Mar;23(3):315-23.
- [Initial experience with high frequency ultrasound for the newborn C57BL mouse.](#)
Bose AK, Mathewson JW, Anderson BE, Andrews AM, Martin Gerdes A, Benjamin Perryman M, Grossfeld PD.
Echocardiography. 2007 Apr;24(4):412-9.
- [Developmental changes in left and right ventricular diastolic filling patterns in mice.](#)
Zhou YQ, Foster FS, Parkes R, Adamson SL.
Am J Physiol Heart Circ Physiol. 2003 Oct;285(4):H1563-75

Pulmonary Hypertension

- [Spontaneous ventricular fibrillation in right ventricular failure secondary to chronic pulmonary hypertension.](#)
Umar S, Lee JH, de Lange E, Iorga A, Partow-Navid R, Bapat A, van der Laarse A, Saggarr R, Saggarr R, Ypey DL, Karagueuzian HS, Eghbali M.
Circ Arrhythm Electrophysiol. 2012 Feb;5(1):181-90.
- [Genistein, a soy phytoestrogen, reverses severe pulmonary hypertension and prevents right heart failure in rats.](#)
Matori H, Umar S, Nadadur RD, Sharma S, Partow-Navid R, Afkhami M, Amjadi M, Eghbali M.
Hypertension. 2012 Aug;60(2):425-30.
- [Estrogen rescues preexisting severe pulmonary hypertension in rats.](#)
Umar S, Iorga A, Matori H, Nadadur RD, Li J, Maltese F, van der Laarse A, Eghbali M.
Am J Respir Crit Care Med. 2011 Sep 15;184(6):715-23
- [The critical roles of platelet activation and reduced NO bioavailability in fatal pulmonary arterial hypertension in a murine hemolysis model.](#)
Hu W, Jin R, Zhang J, You T, Peng Z, Ge X, Bronson RT, Halperin JA, et al.
Blood. 2010 Sep 2;116(9):1613-22. Epub 2010 May 28.

Bibliography – Cardiovascular Research

- [Noninvasive assessment of murine pulmonary arterial pressure: validation and application to models of pulmonary hypertension.](#)
Thibault HB, Kurtz B, Raheer MJ, Shaik RS, Waxman A, Derumeaux G, *et al.*
Circ Cardiovasc Imaging 2010 Mar;3(2):157-63.

Rabbit Cardiovascular

- [Systemic injection of planktonic forms of mammalian-derived nanoparticles alters arterial response to injury in rabbits.](#)
Schwartz MK, Lieske JC, Hunter LW, Miller VM.
Am J Physiol Heart Circ Physiol 2009 May;296(5):H1434-41.

Rat Cardiovascular

- [Carvedilol enhances mesenchymal stem cell therapy for myocardial infarction via inhibition of caspase-3 expression.](#)
Hassan F, Meduru S, Taguchi K, Kuppusamy ML, Mostafa M, Kuppusamy P, Khan M.
J Pharmacol Exp Ther. 2012 Oct;343(1):62-71.
- [Transforming growth factor- \$\alpha\$ enhances stem cell-mediated postischemic myocardial protection.](#)
Herrmann JL, Abarbanell AM, Wang Y, Weil BR, Poynter JA, Manukyan MC, Meldrum DR.
Ann Thorac Surg. 2011 Nov;92(5):1719-25.
- [Ginseng inhibits cardiomyocyte hypertrophy and heart failure via NHE-1 inhibition and attenuation of calcineurin activation.](#)
Guo J, Gan XT, Haist JV, Rajapurohitam V, Zeidan A, Faruq NS, Karmazyn M.
Circ Heart Fail. 2011 Jan 1;4(1):79-88.
- [Alterations of pre- and postsynaptic noradrenergic signaling in a rat model of adriamycin-induced cardiotoxicity.](#)
Kenk M, Thackeray JT, Thorn SL, Dhami K, Chow BJ, Ascah KJ, *et al.*
J Nucl Cardiol 2010 Apr;17(2):254-63.
- [Central infusion of aldosterone synthase inhibitor attenuates left ventricular dysfunction and remodelling in rats after myocardial infarction.](#)
Huang BS, White RA, Ahmad M, Tan J, Jeng AY, Leenen FH.
Cardiovasc Res 2009 Feb 15;81(3):574-81.

Right Ventricle

- [Spontaneous ventricular fibrillation in right ventricular failure secondary to chronic pulmonary hypertension.](#)
Umar S, Lee JH, de Lange E, Iorga A, Partow-Navid R, Bapat A, van der Laarse A, Saggarr R, Saggarr R, Ypey DL, Karagueuzian HS, Eghbali M.
Circ Arrhythm Electrophysiol. 2012 Feb;5(1):181-90.

Bibliography – Cardiovascular Research

- [Genistein, a soy phytoestrogen, reverses severe pulmonary hypertension and prevents right heart failure in rats.](#)
Matori H, Umar S, Nadadur RD, Sharma S, Partow-Navid R, Afkhami M, Amjedi M, Eghbali M. *Hypertension*. 2012 Aug;60(2):425-30.
- [Suppression of histone deacetylases worsens right ventricular dysfunction after pulmonary artery banding in rats.](#)
Bogaard HJ, Mizuno S, Hussaini AA, Toldo S, Abbate A, Kraskauskas D, Kasper M, *et al.* *Am J Respir Crit Care Med*. 2011 May 15;183(10):1402-10
- [Myocyte necrosis underlies progressive myocardial dystrophy in mouse *dsg2*-related arrhythmogenic right ventricular cardiomyopathy.](#)
Pilichou K, Remme CA, Basso C, Campian ME, Rizzo S, Barnett P, Scicluna BP, *et al.* *J Exp Med*. 2009 Aug 3;206(8):1787-802

Stem Cells

- [Guided cardiopoiesis enhances therapeutic benefit of bone marrow human mesenchymal stem cells in chronic myocardial infarction.](#)
Behfar A, Yamada S, Crespo-Diaz R, Nesbitt JJ, Rowe LA, Perez-Terzic C, *et al.* *J Am Coll Cardiol* 2010 Aug 24;56(9):721-34.

Strain

- [Cardiac inflammation after local irradiation is influenced by the kallikrein-kinin system.](#)
Sridharan V, Tripathi P, Sharma SK, Moros EG, Corry PM, Lieblong BJ, Kaschina E, Unger T, Thöne-Reineke C, Hauer-Jensen M, Boerma M. *Cancer Res*. 2012 Oct 1;72(19):4984-92.
- [Placental growth factor regulates cardiac inflammation through the tissue inhibitor of metalloproteinases-3/tumor necrosis factor- \$\alpha\$ -converting enzyme axis: crucial role for adaptive cardiac remodeling during cardiac pressure overload.](#)
Carnevale D, Cifelli G, Mascio G, Madonna M, Sbroggiò M, Perrino C, Persico MG, Frati G, Lembo G. *Circulation*. 2011 Sep 20;124(12):1337-50.
- [Echocardiographic speckle-tracking based strain imaging for rapid cardiovascular phenotyping in mice.](#)
Bauer M, Cheng S, Jain M, Ngoy S, Theodoropoulos C, Trujillo A, Lin FC, Liao R. *Circ Res*. 2011 Apr 15;108(8):908-16

Bibliography – Cardiovascular Research

Stress Echocardiography

- [Cardiomyocyte PDGFR-beta signaling is an essential component of the mouse cardiac response to load-induced stress.](#)
Chintalgattu V, Ai D, Langley RR, Zhang J, Bankson JA, Shih TL, *et al.*
J Clin Invest 2010 Feb 1;120(2):472-84.
- [Effective rescue of dystrophin improves cardiac function in dystrophin-deficient mice by a modified morpholino oligomer.](#)
Wu B, Moulton HM, Iversen PL, Jiang J, Li J, Li J, *et al.*
Proc Natl Acad Sci U S A 2008 Sep 30;105(39):14814-9.
- [Role of the multidomain protein spinophilin in blood pressure and cardiac function regulation.](#)
da Costa-Goncalves AC, Tank J, Plehm R, Diedrich A, Todiras M, Gollasch M, *et al.*
Hypertension 2008 Oct;52(4):702-7.

Systolic Function

- [Losartan decreases cardiac muscle fibrosis and improves cardiac function in dystrophin-deficient mdx mice.](#)
Spurney CF, Sali A, Guerron AD, Iantorno M, Yu Q, Gordish-Dressman H, *et al.*
J Cardiovasc Pharmacol Ther 2011 Mar;16(1):87-95.

Valvular Flow & Function

- [Calcific aortic valve stenosis: methods, models, and mechanisms.](#)
Miller JD, Weiss RM, Heistad DD.
Circ Res 2011 May 27;108(11):1392-412. Review.
- [Metformin attenuates cardiac fibrosis by inhibiting the TGFbeta1-Smad3 signalling pathway.](#)
Xiao H, Ma X, Feng W, Fu Y, Lu Z, Xu M, *et al.*
Cardiovasc Res 2010 Aug 1;87(3):504-13.
- [Torcetrapib Produces Endothelial Dysfunction Independent of CETP Inhibition.](#)
Connelly MA, Parry TJ, Giardino EC, Huang Z, Cheung WM, Chen C, *et al.*
J Cardiovasc Pharmacol 2010 May;55(5):459-68.
- [Transcriptional coactivators PGC-1alpha and PGC-1beta control overlapping programs required for perinatal maturation of the heart.](#)
Lai L, Leone TC, Zechner C, Schaeffer PJ, Kelly SM, Flanagan DP, *et al.*
Genes Dev 2008 Jul 15;22(14):1948-61.
- [Mouse heart valve structure and function: echocardiographic and morphometric analyses from the fetus through the aged adult.](#)
Hinton RB Jr, Alfieri CM, Witt SA, Glascock BJ, Khoury PR, Benson DW, *et al.*
Am J Physiol Heart Circ Physiol 2008 Jun;294(6):H2480-8.

Bibliography – Cardiovascular Research

Vascular

- [The disulfide isomerase ERp57 mediates platelet aggregation, hemostasis, and thrombosis.](#)
Wu Y, Ahmad SS, Zhou J, Wang L, Cully MP, Essex DW.
Blood. 2012 Feb 16;119(7):1737-46.
- [Evaluation of the use of an induced pluripotent stem cell sheet for the construction of tissue-engineered vascular grafts.](#)
Hibino N, Duncan DR, Nalbandian A, Yi T, Qyang Y, Shinoka T, Breuer CK.
J Thorac Cardiovasc Surg. 2012 Mar;143(3):696-703.
- [p190 RhoGTPase-activating protein links the \$\beta\$ 1 integrin/caveolin-1 mechanosignaling complex to RhoA and actin remodeling.](#)
Yang B, Radel C, Hughes D, Kelemen S, Rizzo V.
Arterioscler Thromb Vasc Biol. 2011 Feb;31(2):376-83
- [Tissue-intrinsic dysfunction of circadian clock confers transplant arteriosclerosis.](#)
Cheng B, Anea CB, Yao L, Chen F, Patel V, Merloiu A, Pati P, Caldwell RW, Fulton DJ, Rudic RD.
Proc Natl Acad Sci U S A. 2011 Oct 11;108(41):17147-52.
- [Longitudinal common carotid artery wall motion is associated with plaque burden in man and mouse.](#)
Svedlund S, Gan LM.
Atherosclerosis 2011 Jul;217(1):120-4.
- [p190 RhoGTPase-activating protein links the \$\beta\$ 1 integrin/caveolin-1 mechanosignaling complex to RhoA and actin remodeling.](#)
Yang B, Radel C, Hughes D, Kelemen S, Rizzo V.
Arterioscler Thromb Vasc Biol. 2011 Feb;31(2):376-83.
- [Matrix metalloproteinase 2 and 9 dysfunction underlie vascular stiffness in circadian clock mutant mice.](#)
Anea CB, Ali MI, Osmond JM, Sullivan JC, Stepp DW, Merloiu AM, Rudic RD.
Arterioscler Thromb Vasc Biol. 2010 Dec;30(12):2535-43
- [High-throughput Doppler toolbox for preclinical drug development.](#)
Azer K, Desiderio MC, Tong C, Bunzel M, Campbell BR, Shevell D, and Walker M III
JALA 2010 Aug;15:287-96
- [Molecular Imaging of Vasa Vasorum Neovascularization via DEspR-targeted Contrast-enhanced Ultrasound Micro-imaging in Transgenic Atherosclerosis Rat Model.](#)
Decano JL, Moran AM, Ruiz-Opazo N, Herrera VL.
Mol Imaging Biol. 2010 Oct 23 [Epub ahead of print].
- [The effects of acarbose treatment on intimal hyperplasia in a rat carotid endarterectomy model of diet-induced insulin resistance.](#)
Nyalala JO, Luo S, Campbell DN, Brown AT, Moursi MM.
Vasc Endovascular Surg. 2010 Oct;44(7):560-7.

Bibliography – Cardiovascular Research

- [Aortic regurgitation dramatically alters the distribution of atherosclerotic lesions and enhances atherogenesis in mice.](#)

Zhou YQ, Zhu SN, Foster FS, Cybulsky MI, Henkelman RM.
Arterioscler Thromb Vasc Biol. 2010 Jun;30(6):1181-8.

Vascular Injection

- [Temporal characterization of the functional density of the vasa vasorum by contrast-enhanced ultrasonography maximum intensity projection imaging.](#)

Lee SC, Carr CL, Davidson BP, Ellegala D, Xie A, Ammi A, Belcik T, Lindner JR.
JACC Cardiovasc Imaging. 2010 Dec;3(12):1265-72.

Bibliography – Cardiovascular Research



VISUALSONICS

VisualSonics Inc.

T. 1.416.484.5000

Toll Free (North America) 1.866.416.4636

Toll Free (Europe) +800.0751.2020

E. info@visualsonics.com

www.visualsonics.com

VisualSonics, VisualSonics logo, VisualSonics dot design, Vevo, Vevo MicroMarker, VevoStrain, VevoCQ, SoniGene, RMV, EKV, MicroScan, LAZRtight, Insight through In Vivo Imaging, are registered trademarks (in some jurisdictions) or unregistered trademarks of VisualSonics Inc.

© 2011 VisualSonics Inc. All rights reserved.