

December 21, 2018	<a href="#">Gadolinium Doping Enhances the Photoacoustic Signal of Synthetic Melanin Nanoparticles: A Dual Modality Contrast Agent for Stem Cell Imaging</a>	ABSTRACT: In this paper, we show that gadolinium-loaded synthetic melanin nanoparticles (Gd(III)-SMNPs) exhibit up to a 40-fold enhanced photoacoustic
April 30, 2018	<a href="#">Intraoperative Resection Guidance with Photoacoustic and Fluorescence Molecular Imaging Using an Anti-B7-H3 Antibody-Indocyanine Green Dual Contrast Agent</a>	Breast cancer often requires surgical treatment including breast-conserving surgical resection.
January 01, 2016	<a href="#">Spectroscopic photoacoustic molecular imaging of breast cancer using a B7-H3-targeted ICG contrast agent</a>	Purpose: Breast cancer imaging methods lack diagnostic accuracy, in particular for patients with dense breast tissue, and improved techniques are crit
June 01, 2019	<a href="#">A near-infrared turn-on probe for in vivo chemoselective photoacoustic detection of fluoride ion</a>	The detection of fluoride ion (F <sup>-</sup> ) in living subjects is of value for healthcare and environmental fields.
March 01, 2019	<a href="#">Multifunctional nanoplatform for photoacoustic imaging-guided combined therapy enhanced by CO induced ferroptosis</a>	A multifunctional CO/thermo/chemotherapy nanoplatform is here reported, which is composed of mesoporous carbon nanoparticles (MCN) as near infrared (N
February 01, 2019	<a href="#">Functionalized polymer microbubbles as new molecular ultrasound contrast agent to target P-selectin in thrombus</a>	Thrombotic diseases rarely cause symptoms until advanced stage and sudden death.
February 01, 2019	<a href="#">Erythrocyte-cancer hybrid membrane-camouflaged melanin nanoparticles for enhancing photothermal therapy efficacy in tumors</a>	Cell membrane coating has emerged as an intriguing biomimetic strategy to endow nanomaterials with functions and properties inherent to source cells f
February 01, 2019	<a href="#">Recent strategies on targeted delivery of thrombolytics</a>	Thrombus formed in blood vessel is a progressive process, which would lead to life-threatening thrombotic diseases such as ischemic stroke.
January 01, 2019	<a href="#">SDF-1-loaded PLGA nanoparticles for the targeted photoacoustic imaging and photothermal therapy of metastatic lymph nodes in tongue squamous cell carcinoma</a>	The combination of photothermal therapy and targeted chemotherapy can produce much greater cytotoxicity than chemotherapy.

January 01, 2019	<a href="#">pH/NIR-responsive semiconducting polymer nanoparticles for highly effective photoacoustic image guided chemo-photothermal synergistic therapy</a>	ABSTRACT Multifunctional drug delivery nanoplatform (PDPP3T@PSNiAA NPs) based on NIR absorbing semiconducting polymer nanoparticles for pH/NIR light-
January 01, 2019	<a href="#">Polyethyleneimine-assisted one-pot synthesis of quasi-fractal plasmonic gold nanocompo-sites as a photothermal theranostic agent</a>	Gold nanoparticles have been thoroughly used in designing thermal ablative therapies and photoacoustic imaging for cancer owing to their unique and tu
December 21, 2018	<a href="#">Ratiometric Photoacoustic Nanoprobe for Bioimaging of Cu<sup>2+</sup></a>	Aberrant copper content implicates numerous diseases including Alzheimer's disease and Wilson's disease.
December 16, 2018	<a href="#">Improving Stem Cell Delivery to the Trabecular Meshwork Using Magnetic Nanoparticles</a>	Glaucoma is a major cause of blindness and is frequently associated with elevated intraocular pressure.
December 14, 2018	<a href="#">Intrinsically absorbing photoacoustic and ultrasound contrast agents for cancer therapy and imaging</a>	Nanoparticles are submicrometer in size and are used in a variety of ways in the biomedical field.
December 12, 2018	<a href="#">Chemodrug-Gated Biodegradable Hollow Mesoporous Organosilica Nanotheranostics for Multimodal Imaging-Guided Low-Temperature Photothermal Therapy/Chemotherapy of Cancer</a>	Noninvasive physical treatment with relatively low intensity stimulation and the development of highly efficient anticancer medical strategy are still
November 24, 2018	<a href="#">Indocyanine Green labeling for optical and photoacoustic imaging of Mesenchymal Stem Cells after in vivo transplantation</a>	The transplantation of Mesenchymal Stem Cells (MSCs) holds great promise for the treatment of a plethora of human diseases, but new non-invasive proce
October 18, 2018	<a href="#">In Vivo Molecular Ultrasound Assessment of Glioblastoma Neovasculature with Endoglin-Targeted Microbubbles</a>	Objectives . Glioblastoma, as one of the most malignant cancer in the world, usually shows substantially increased angiogenesis.
October 17, 2018	<a href="#">In vivo photoacoustic difference-spectra imaging of bacteria using photoswitchable chromoproteins</a>	Photoacoustic (PA) imaging offers great promise for deep molecular imaging of optical reporters but has difficulties in imaging multiple molecular pro

May 29, 2018	<a href="#">Performances of a Pristine Graphene-Microbubble Hybrid Construct as Dual Imaging Contrast Agent and Assessment of Its Biodistribution by Photoacoustic Imaging</a>	Coupling near-infrared (NIR) nanoscale absorbing materials with microbubbles (MBs) can generate a multifunctional dual imaging contrast agent.
May 01, 2018	<a href="#">Histidine-rich glycoprotein-induced vascular normalization improves EPR-mediated drug targeting to and into tumors</a>	Tumors are characterized by leaky blood vessels, and by an abnormal and heterogeneous vascular network.
January 01, 2018	<a href="#">Unfavorable effect of calcitriol and its low-calcemic analogs on metastasis of 4T1 mouse mammary gland cancer</a>	Low vitamin D status is considered as a risk factor for breast cancer and has prognostic significance.
January 01, 2018	<a href="#">Multispectral Photoacoustic Imaging of Tumor Protease Activity with a Gold Nanocage-Based Activatable Probe</a>	Tumor proteases have been recognized as significant regulators in the tumor microenvironment, but the current strategies for in vivo protease imaging
January 01, 2018	<a href="#">Endoglin-targeted contrast-enhanced ultrasound imaging in hepatoblastoma xenografts</a>	Angiogenesis is required for the growth of hepa- toblastoma (HB).
January 01, 2018	<a href="#">Facile fabrication of highly photothermal-effective albumin-assisted gold nanoclusters for treating breast cancer</a>	Gold nanoclusters (AuNCs) have been considered to be a promising candidate for hyperthermia-based anticancer therapy.
January 01, 2018	<a href="#">Development and evaluation of a CEACAM6-targeting theranostic nanomedicine for photoacoustic-based diagnosis and chemotherapy of metastatic cancer</a>	Metastasis is the leading cause of cancer-related deaths.
January 01, 2018	<a href="#">A Spectral Fiedler Field-based Contrast Platform for Imaging of Nanoparticles in Colon Tumor</a>	In efforts to improve solid tumor imaging, and enable image-guided drug delivery (IGDD), multiple types of clinical imaging modalities have been combi
January 01, 2018	<a href="#">[ASAP] Gadolinium Metallofullerene-Polypyrrole Nanoparticles for Activatable Dual-Modal Imaging-Guided Photothermal Therapy</a>	Accurate diagnosis of tumor is promising to guide photothermal therapy (PTT) for efficacious tumor ablation with minimal damage to healthy tissues.

January 01, 2018	<a href="#">Photoacoustic imaging of integrin-overexpressing tumors using a novel ICG-based contrast agent in mice</a>	PhotoAcoustic Imaging (PAI) is a biomedical imaging modality currently under evaluation in preclinical and clinical settings.
January 01, 2018	<a href="#">A catalase-loaded hierarchical zeolite as an implantable nanocapsule for ultrasound-guided oxygen self-sufficient photodynamic therapy against pancreatic cancer</a>	Photodynamic therapy (PDT) is an alternative strategy for treating pancreatic cancer (PC) in clinics.
January 01, 2018	<a href="#">Wulff in a cage gold nanoparticles as contrast agents for computed tomography and photoacoustic imaging</a>	A core–shell nanostructure yields balanced contrast production for both CT and photoacoustics.
January 01, 2018	<a href="#">Thy1-Targeted Microbubbles for Ultrasound Molecular Imaging of Pancreatic Ductal Adenocarcinoma</a>	Purpose: To engineer a dual human and murine Thy1-binding single-chain-antibody ligand (Thy1-scFv) for contrast microbubble-enhanced ultrasound mole
January 01, 2018	<a href="#">Ultrasound molecular imaging as a non-invasive companion diagnostic for netrin-1 interference therapy in breast cancer</a>	In ultrasound molecular imaging (USMI), ligand-functionalized microbubbles (MBs) are used to visualize vascular endothelial targets.
January 01, 2018	<a href="#">Mesopore-Induced Aggregation of Cobalt Protoporphyrin for Photoacoustic Imaging and Antioxidant Protection of Stem Cells</a>	With the ever-accelerating development of functional materials design and fabrication, various nanomaterial-based molecular imaging platforms with imp
December 01, 2017	<a href="#">Contrast enhanced ultrasound imaging can predict vascular-targeted photodynamic therapy induced tumor necrosis in small animals</a>	Aims To evaluate the accuracy of contrast-enhanced ultrasound (CEUS) for monitoring tumor necrosis following WST-11 vascular targeted photodynamic the
August 01, 2017	<a href="#">Measuring Absolute Blood Perfusion in Mice Using Dynamic Contrast-Enhanced Ultrasound</a>	We investigated the feasibility of estimating absolute tissue blood perfusion using dynamic contrast-enhanced ultrasound (CEUS) imaging in mice.
May 30, 2017	<a href="#">Preparation and characterization of a novel silicon-modified nanobubble</a>	Nanobubbles (NBs) opened a new field of ultrasound imaging. There is still no practical method to control the diameter of bubbles.

May 04, 2017	<a href="#">Development of prostate specific membrane antigen targeted ultrasound microbubbles using bioorthogonal chemistry</a>	Prostate specific membrane antigen (PSMA) targeted microbubbles (MBs) were developed using bioorthogonal chemistry.
March 01, 2017	<a href="#">Molecular Contrast-Enhanced Ultrasound Imaging of Radiation-Induced P-Selectin Expression in Healthy Mice Colon</a>	Purpose To evaluate the feasibility of using molecular contrast-enhanced ultrasound (mCEUS) to image radiation (XRT)-induced expression of cell adhesion
February 28, 2017	<a href="#">Magnetic Nanoliposomes as in Situ Microbubble Bombers for Multimodality Image-Guided Cancer Theranostics</a>	Nanosized drug delivery systems have offered promising approaches for cancer theranostics.
January 20, 2017	<a href="#">Core-shell and co-doped nanoscale metal-organic particles (NMOPs) obtained via post-synthesis cation exchange for multimodal imaging and synergistic thermo-radiotherapy</a>	Nanoscale metal-organic particles (NMOPs) have recently shown great promise in the area of nanomedicine owing to their tunable compositions, highly en
January 01, 2016	<a href="#">Photoacoustic imaging of lymphatic pumping</a>	The lymphatic system is crucial for maintaining fluid balance in tissues and for immune cell trafficking; however, there are only a few methods for im
January 01, 2016	<a href="#">Image-Guided Hydrogen Gas Delivery for Protection from Myocardial Ischemia-Reperfusion Injury via Microbubbles</a>	Cardiomyocyte death induced by ischemia-reperfusion is a major cause of morbidity and mortality worldwide.
January 01, 2016	<a href="#">PBCA-based polymeric microbubbles for molecular imaging and drug delivery</a>	Microbubbles (MB) are routinely used as contrast agents for ultrasound (US) imaging.
January 01, 2016	<a href="#">A Theranostic Nanoplatfrom: Triple-Model Imaging Guided Synergistic Cancer Therapy Based on Liposomes Conjugated Mesoporous Silica Nanoparticles</a>	Mesoporous silica nanoparticles (MSNs) have long since been investigated to provide a versatile drug-delivery platform due to their multitudinous meri
January 01, 2016	<a href="#">Detection and characterization of murine colitis and carcinogenesis by molecularly targeted contrast-enhanced ultrasound</a>	AIM To study mucosal addressin cellular adhesion molecule-1 (MAdCAM-1) and vascular endothelial growth factor (VEGF)-targeted contrast enhanced ultras



January 01, 2016	<a href="#">Nanoscale covalent organic polymers as a biodegradable nanomedicine for chemotherapy-enhanced photodynamic therapy of cancer</a>	Recently, covalent-organic polymers (COPs), which covalently cross-link different types of organic molecules to form organic network structures, have
January 01, 2016	<a href="#">Molecularly Engineered Theranostic Nanoparticles for Thrombosed Vessels: H<sub>2</sub>O<sub>2</sub>-Activatable Contrast-Enhanced Photoacoustic Imaging and Antithrombotic Therapy</a>	A thrombus (blood clot), composed mainly of activated platelets and fibrin, obstructs arteries or veins, leading to various life-threatening diseases.
January 01, 2016	<a href="#">Highly versatile SPION encapsulated PLGA nanoparticles as photothermal ablaters of cancer cells and as multimodal imaging agents</a>	We have designed versatile polymeric nanoparticles with cancer cell specific targeting capabilities via aptamer conjugation after the successful encap
January 01, 2016	<a href="#">Tumor vasculature normalization by orally fed erlotinib to modulate the tumor microenvironment for enhanced cancer nanomedicine and immunotherapy</a>	The abnormal tumor vasculature is one of key reasons that lead to the limited tumor perfusion as well as hypoxic and immunosuppressive tumor microenvi
January 01, 2016	<a href="#">Photoacoustic Imaging of Human Mesenchymal Stem Cells Labeled with Prussian Blue–Poly(L-lysine) Nanocomplexes</a>	Acoustic imaging is affordable and accessible without ionizing radiation.
January 01, 2016	<a href="#">Tumor Microenvironment Modulation by Cyclopamine Improved Photothermal Therapy of Biomimetic Gold Nanorods for Pancreatic Ductal Adenocarcinomas</a>	Due to the rich stroma content and poor blood perfusion, pancreatic ductal adenocarcinoma (PDA) is a tough cancer that can hardly be effectively treat
January 01, 2016	<a href="#">Exosome-like silica nanoparticles: a novel ultrasound contrast agent for stem cell imaging</a>	Ultrasound is critical in many areas of medicine including obstetrics, oncology, and cardiology with emerging applications in regenerative medicine.
January 01, 2016	<a href="#">Proteoglycan-targeting applied to hypoxia-activated prodrug therapy in chondrosarcoma: first proof-of-concept</a>	Due to its abundant chondrogenic matrix and hypoxic tissue, chondrosarcoma is chemo- and radio-resistant.

January 01, 2016	<a href="#">Cationic microbubbles and antibiotic-free miniplasmid for sustained ultrasound – mediated transgene expression in liver</a>	Despite the increasing number of clinical trials in gene therapy, no ideal methods still allow non-viral gene transfer in deep tissues such as the liv
January 01, 2016	<a href="#">Nilotinib Enhances Tumor Angiogenesis and Counteracts VEGFR2 Blockade in an Orthotopic Breast Cancer Xenograft Model with Desmoplastic Response</a>	Vascular endothelial growth factor (VEGF)/VEGF receptor (VEGFR)-targeted therapies predominantly affect nascent, immature tumor vessels.
September 01, 2016	<a href="#">Quantification of Endothelial <math>\alpha v\beta 3</math> Expression with High-Frequency Ultrasound and Targeted Microbubbles: In Vitro and In Vivo Studies</a>	Angiogenesis is a critical feature of plaque development in atherosclerosis and might play a key role in both the initiation and later rupture of plaq
June 29, 2016	<a href="#">Graphene Meets Microbubbles: A Superior Contrast Agent for Photoacoustic Imaging</a>	Coupling graphene with a soft polymer surface offers the possibility to build hybrid constructs with new electrical, optical, and mechanical propertie
June 08, 2016	<a href="#">Gold Nanoparticle Coated Carbon Nanotube Ring with Enhanced Raman Scattering and Photothermal Conversion Property for Theranostic Applications</a>	We report a new type of carbon nanotube ring (CNTR) coated with gold nanoparticles (CNTR@AuNPs) using CNTR as a template and surface attached redox-ac
June 01, 2016	<a href="#">High-resolution renal perfusion mapping using contrast-enhanced ultrasonography in ischemia-reperfusion injury monitors changes in renal microperfusion</a>	Alterations in renal microperfusion play an important role in the development of acute kidney injury with long- term consequences.
January 01, 2015	<a href="#">Re-assessing the enhanced permeability and retention effect in peripheral arterial disease using radiolabeled long circulating nanoparticles</a>	Abstract As peripheral arterial disease (PAD) results in muscle ischemia and neovascularization, it has been claimed that nanoparticles can passively
January 01, 2015	<a href="#">Stable J-aggregation enabled dual photoacoustic and fluorescence nanoparticles for intraoperative cancer imaging</a>	J-aggregates display nanoscale optical properties which enable their use in fluorescence and photo-acoustic imaging applications.
January 01, 2015	<a href="#">Chlorosome-Inspired Synthesis of Templated Metallochlorin-Lipid Nanoassemblies for Biomedical Applications</a>	Chlorosomes are vesicular light-harvesting organelles found in photosynthetic green sulfur bacteria.

January 01, 2015	<a href="#">Plasmonic fluorescent CdSe/Cu<sub>2</sub>S hybrid nanocrystals for multichannel imaging and cancer directed photo-thermal therapy</a>	A simple, crude Jatropha curcas (JC) oil-based synthesis approach, devoid of any toxic phosphine and pyrophoric ligands, to produce size and shape tun
January 01, 2015	<a href="#">Long circulating reduced graphene oxide–iron oxide nanoparticles for efficient tumor targeting and multimodality imaging</a>	Polyethylene glycol (PEG) surface modification is one of the most widely used approaches to improve the solubility of inorganic nanoparticles, prevent
January 01, 2015	<a href="#">Porphyrin Nanodroplets: Sub-micrometer Ultrasound and Photoacoustic Contrast Imaging Agents</a>	Ultrasound offers significant potential as a molecular imaging modality when imaging microbubble agents owing to single-bubble sensitivity.
January 01, 2015	<a href="#">Dual-enhanced photothermal conversion properties of reduced graphene oxide-coated gold superparticles for light-triggered acoustic and thermal theranostics</a>	A rational design of highly efficient photothermal agents that possess excellent light-to-heat conversion properties is a fascinating topic in nanotechnology
January 01, 2015	<a href="#">Exploring Targeted Contrast-Enhanced Ultrasound to Detect Neural Inflammation: An Example of Standard Nomenclature</a>	Targeted contrast-enhanced ultrasound (TCEUS) is an innovative method of molecular imaging used for detection of inflammatory biomarkers in vivo.
January 01, 2015	<a href="#">Ultrasound-guided photoacoustic imaging for the selective detection of EGFR-expressing breast cancer and lymph node metastases</a>	We assessed the use of ultrasound (US)-guided photoacoustic imaging (PAI) and anti-EGFR antibody-conjugated gold nanorods (anti-EGFR-GNs) to non-invasive
January 01, 2015	<a href="#">Accelerated Blood Clearance Phenomenon Reduces the Passive Targeting of PEGylated Nanoparticles in Peripheral Arterial Disease</a>	Peripheral arterial disease (PAD) is a leading global health concern.
October 21, 2015	<a href="#">Validating tyrosinase homologue melA as a photoacoustic reporter gene for imaging Escherichia coli</a>	To understand the pathogenic processes for infectious bacteria, appropriate research tools are required for replicating and characterizing infections.



September 22, 2015	<a href="#">Sequential Drug Release and Enhanced Photothermal and Photoacoustic Effect of Hybrid Reduced Graphene Oxide-Loaded Ultrasmall Gold Nanorod Vesicles for Cancer Therapy</a>	We report a hybrid reduced graphene oxide (rGO)-loaded ultrasmall plasmonic gold nanorod vesicle (rGO-AuNRVe) (~65 nm in size) with remarkably amplified
June 23, 2015	<a href="#">Determination of biodistribution of ultrasmall, near-infrared emitting gold nanoparticles by photoacoustic and fluorescence imaging</a>	This study compares fluorescence and photoacoustic (PA) imaging of ex vivo tumors and organs from tumor-bearing mice injected intravenously with ultra
June 15, 2015	<a href="#">Breast Cancer Detection by B7-H3-Targeted Ultrasound Molecular Imaging</a>	Ultrasound is a complimentary imaging modality to mammography in breast cancer detection in particular in patients with dense breast tissue, but is li
June 01, 2015	<a href="#">Quantification of bound microbubbles in ultrasound molecular imaging</a>	Molecular markers associated with diseases can be visualized and quantified noninvasively with targeted ultrasound contrast agent (t-UCA) consisting o
March 17, 2015	<a href="#">2H,3H-Decafluoropentane-Based Nanodroplets: New Perspectives for Oxygen Delivery to Hypoxic Cutaneous Tissues</a>	Perfluoropentane (PFP)-based oxygen-loaded nanobubbles (OLNBs) were previously proposed as adjuvant therapeutic tools for pathologies of different e
March 01, 2015	<a href="#">Vascular Endothelial Growth Factor Receptor Type 2-targeted Contrast-enhanced US of Pancreatic Cancer Neovasculature in a Genetically Engineered Mouse Model: Potential for Earlier Detection</a>	PURPOSE: To test ultrasonographic (US) imaging with vascular endothelial growth factor receptor type 2 (VEGFR2)-targeted microbubble contrast material
January 01, 2015	<a href="#">Protein-based photothermal theranostics for imaging-guided cancer therapy</a>	The development of imageable photothermal theranostics has attracted considerable attention for imaging guided photothermal therapy (PTT) with high tu
January 01, 2015	<a href="#">Nanoparticle Probes for Structural and Functional Photoacoustic Molecular Tomography</a>	Nowadays, nanoparticle probes have received extensive attention largely due to its potential biomedical applications in structural, functional, and mo

January 01, 2015	<a href="#">Design of hybrid MnO<sub>2</sub>-polymer-lipid nanoparticles with tunable oxygen generation rates and tumor accumulation for cancer treatment</a>	Manganese dioxide (MnO <sub>2</sub> ) nanoparticles (NPs) were discovered in previous work to be effective in improving tumor oxygenation (hypoxia) and reducing
January 01, 2015	<a href="#">Multi-stimuli responsive Cu<sub>2</sub>S nanocrystals as trimodal imaging and synergistic chemo-photothermal therapy agents</a>	A size and shape tuned, multifunctional metal chalcogenide, Cu <sub>2</sub> S-based nanotheranostic agent is developed for trimodal imaging and multimodal therap
January 01, 2015	<a href="#">Subharmonic, non-linear fundamental and ultraharmonic imaging of microbubble contrast at high frequencies.</a>	There is increasing use of ultrasound contrast agent in high-frequency ultrasound imaging.
January 01, 2015	<a href="#">Phototheranostic Porphyrin Nanoparticles Enable Visualization and Targeted Treatment of Head and Neck Cancer in Clinically Relevant Models</a>	Head and neck cancer is the fifth most common type of cancer worldwide and remains challenging for effective treatment due to the proximity to critica
January 01, 2015	<a href="#">Ultrasound Molecular Imaging of Vascular Endothelial Growth Factor Receptor 2 Expression for Endometrial Receptivity Evaluation</a>	Purpose: Ultrasound (US) molecular imaging by examining the expression\nof vascular endothelial growth factor receptor 2 (VEGFR2) on uterus\nvascular
October 29, 2014	<a href="#">Transferring Biomarker into Molecular Probe: Melanin Nanoparticle as a Naturally Active Platform for Multimodality Imaging</a>	Developing multifunctional and easily prepared nanoplatfoms with integrated different modalities is highly challenging for molecular imaging.
October 01, 2014	<a href="#">Sentinel Lymph Node Biopsy Revisited: Ultrasound-Guided Photoacoustic Detection of Micrometastases Using Molecularly Targeted Plasmonic Nanosensors</a>	Metastases rather than primary tumors are responsible for killing most patients with cancer.
October 01, 2014	<a href="#">Dye-Loaded Ferritin Nanocages for Multimodal Imaging and Photothermal Therapy</a>	Multimodal imaging-guided photothermal therapy (PTT), for the therapy of cancer, based on a ferritin (FRT) nanocage loaded with the near-infrared dye
September 10, 2014	<a href="#">A dual gold nanoparticle system for mesenchymal stem cell tracking</a>	Stem cell-based therapies have demonstrated improved outcomes in preclinical and clinical trials for treating cardiovascular ischemic diseases.

July 06, 2014	<a href="#">Non-invasive multimodal functional imaging of the intestine with frozen micellar naphthalocyanines</a>	There is a need for safer and improved methods for non-invasive imaging of the gastrointestinal tract.
June 17, 2014	<a href="#">Multi-wavelength photoacoustic imaging of inducible tyrosinase reporter gene expression in xenograft tumors</a>	Photoacoustic imaging is an emerging hybrid imaging technology capable of breaking through resolution limits of pure optical imaging technologies impo
June 01, 2014	<a href="#">Contrast-enhanced magneto-photo-acoustic imaging in vivo using dual-contrast nanoparticles</a>	By mapping the distribution of targeted plasmonic nanoparticles (NPs), photoacoustic (PA) imaging offers the potential to detect the pathologies in th
June 01, 2014	<a href="#">Comparison of dynamic contrast-enhanced MR, ultrasound and optical imaging modalities to evaluate the antiangiogenic effect of PF-03084014 and sunitinib</a>	Noninvasive imaging has been widely applied for monitoring antiangiogenesis therapy in cancer drug discovery.
April 22, 2014	<a href="#">Multifunctional Albumin–MnO<sub>2</sub> Nanoparticles Modulate Solid Tumor Microenvironment by Attenuating Hypoxia, Acidosis, Vascular Endothelial Growth Factor and Enhance Radiation Response</a>	Insufficient oxygenation (hypoxia), acidic pH (acidosis), and elevated levels of reactive oxygen species (ROS), such as H <sub>2</sub> O <sub>2</sub> , are characteristic abnor
April 15, 2014	<a href="#">Exercise performance and peripheral vascular insufficiency improve with AMPK activation in high-fat diet-fed mice</a>	Intermittent claudication is a form of exercise intolerance characterized by muscle pain during walking in patients with peripheral artery disease (PA
March 01, 2014	<a href="#">Ultrasound Molecular Imaging in a Human CD276 Expression-Modulated Murine Ovarian Cancer Model.</a>	PURPOSE: To develop a mouse ovarian cancer model that allows modulating the expression levels of human vascular targets in mouse xenograft tumors and
January 26, 2014	<a href="#">Semiconducting polymer nanoparticles as photoacoustic molecular imaging probes in living mice</a>	Photoacoustic (PA) imaging holds great promise for the visualization of physiology and pathology at the molecular level with deep tissue penetration a
January 01, 2014	<a href="#">Detection of Melanoma Metastases in Resected Human Lymph Nodes by Noninvasive Multispectral Photoacoustic Imaging</a>	Objective .

January 01, 2014	<a href="#">Dual In Vivo Photoacoustic and Fluorescence Imaging of Assessment , and Surgical Guidance</a>	Biomarker-specific imaging probes offer ways to improve molecular diagnosis, intraoperative margin assessment, and tumor resection.
January 01, 2014	<a href="#">Active curcumin nanoparticles formed from a volatile microemulsion template</a>	Mitochondria targeted phototherapy, including photodynamic therapy (PDT) and photothermal therapy (PTT), has excelled as an effective approach among o
November 01, 2013	<a href="#">In vitro and in vivo mapping of drug release after laser ablation thermal therapy with doxorubicin-loaded hollow gold nanoshells using fluorescence and photoacoustic imaging</a>	Doxorubicin-loaded hollow nanoshells (Dox@PEG-HAuNS) increases the efficacy of photothermal ablation (PTA) by not only mediating efficient PTA but als
November 01, 2013	<a href="#">Development and optimization of near-IR contrast agents for immune cell tracking</a>	Gold nanorods (NRs) are attractive for in vivo imaging due to their high optical cross-sections and tunable absorbance.
January 01, 2013	<a href="#">VEGF-loaded graphene oxide as theranostics for multi-modality imaging-monitored targeting therapeutic angiogenesis of ischemic muscle</a>	Herein we report the design and synthesis of multifunctional VEGF-loaded IR800-conjugated graphene oxide (GO-IR800-VEGF) for multi-modality imaging-mo
January 01, 2013	<a href="#">Tyrosinase as a multifunctional reporter gene for Photoacoustic/MRI/PET triple modality molecular imaging.</a>	Development of reporter genes for multimodality molecular imaging is highly important.
January 01, 2013	<a href="#">Bio-ink properties and printability for extrusion printing living cells</a>	Angiogenesis is a common pathological characteristic of many solid tumors and vulnerable atherosclero- tic plaques.
November 27, 2012	<a href="#">Gold nanorods for ovarian cancer detection with photoacoustic imaging and resection guidance via Raman imaging in living mice.</a>	Improved imaging approaches are needed for ovarian cancer screening, diagnosis, staging, and resection guidance.
November 01, 2012	<a href="#">Use of ultrasound to assess renal reperfusion and P-selectin expression following unilateral renal ischemia.</a>	Renal ischemia-reperfusion injury is a major cause of acute kidney injury that carries a high mortality rate and increases the risk of later developme

May 16, 2012	<a href="#">In vivo Ultrasound and Photoacoustic Monitoring of Mesenchymal Stem Cells Labeled with Gold Nanotracers</a>	Longitudinal monitoring of cells is required in order to understand the role of delivered stem cells in therapeutic neovascularization.
January 10, 2012	<a href="#">Biomedical photoacoustics beyond thermal expansion using triggered nanodroplet vaporization for contrast-enhanced imaging</a>	Since being discovered by Alexander Bell, photoacoustics may again be seeing major resurgence in biomedical imaging.
January 01, 2011	<a href="#">Photoacoustic Imaging of Mesenchymal Stem Cells in Living Mice via Silica-Coated Gold Nanorods</a>	Improved imaging modalities are critically needed for optimizing stem cell therapy.
January 01, 2011	<a href="#">VCAM-1-targeting gold nanoshell probe for photoacoustic imaging of atherosclerotic plaque in mice</a>	The development of molecular probes and novel imaging modalities, allowing better resolution and specificity, is associated with an increased potential
June 01, 2011	<a href="#">In Vivo Targeted Contrast Enhanced Micro-Ultrasound to Measure Intratumor Perfusion and Vascular Endothelial Growth Factor Receptor 2 Expression in a Mouse Orthotopic Bladder Cancer Model</a>	Purpose: We evaluated the feasibility of using targeted contrast enhanced micro-ultrasound imaging to assess intratumor perfusion and vascular endothelium
May 01, 2011	<a href="#">Assessing vesicoureteral reflux in live inbred mice via ultrasound with a microbubble contrast agent</a>	Vesicoureteral reflux (VUR) is a common pediatric anomaly linked to renal scarring and hypertension.
March 01, 2011	<a href="#">Tumor Angiogenic Marker Expression Levels during Tumor Growth: Longitudinal Assessment with Molecularly Targeted Microbubbles and US Imaging</a>	PURPOSE: To evaluate the use of molecularly targeted microbubbles (MBs) and ultrasonography (US) in the noninvasive assessment of the level of expression
November 27, 2010	<a href="#">Ultrasound-assisted non-viral gene transfer to the salivary glands</a>	We report a non-viral gene transfer method utilizing ultrasound induced microbubble destruction to allow the uptake of plasmid gene transfer vectors
March 01, 2010	<a href="#">Targeted contrast-enhanced ultrasound imaging of tumor angiogenesis with contrast microbubbles conjugated to integrin-binding knottin peptides.</a>	UNLABELLED: Targeted contrast-enhanced ultrasound imaging is increasingly being recognized as a powerful imaging tool for the detection and quantification



<p>January 01, 2009</p>	<p><a href="#">Nonlinear contrast imaging with an array-based micro-ultrasound system</a></p>	<p>The main goal of this study was to determine the optimal strategy for a real-time nonlinear contrast mode for small-animal imaging at high frequenc</p>
<p>January 01, 1990</p>	<p><a href="#">Biosynthesis of lipid A in Escherichia coli: Acyl carrier protein-dependent incorporation of laurate and myristate</a></p>	<p>In previous studies we described enzyme(s) from Escherichia coli that transfer two 3-deoxy-D-manno-octulosonate (KDO) residues from two CMP-KDO molecu</p>